

ZGE-CI-Z-186-372-S

Battery

Configuration	1P416S
---------------	--------

Number of Pack	8
----------------	---

Electrical

Charging Current	140A
------------------	------

Discharging Current	140A
---------------------	------

Rated Capacity	372.7kWh
----------------	----------

Voltage Range	1164.8~1497.6V
---------------	----------------

Rated Voltage	1331.2V
---------------	---------

Rated Power	
-------------	--

Auxiliary Power

Voltage Range	176~264V
---------------	----------

Cooling Unit Power	Cooling: 3.1KW; Heating: 2.0KW
--------------------	--------------------------------

BMS Power	60W
-----------	-----

Battery Cabinet

Protection Grade	Battery: IP66; Control: IP55
------------------	------------------------------

Anticorossion	C5
---------------	----

Cooling Mode	Liquid Cooling
--------------	----------------

PCS

Basic

Rated Power	200kVA
-------------	--------

Overload Capacity	Constant Operation@110%; 1 min@120%
-------------------	-------------------------------------

Efficiency	Max. 99%
------------	----------

Power Response	<20ms
----------------	-------

Charge/Dischargr Transfer	<50ms
---------------------------	-------


DC

Max DC Voltage	1500V
----------------	-------

DC Voltage Range	11
------------------	----

NO.	Name	Recommended model/ Specifications	QTY	Remark
1	Energy Storage System Cabinet		1	

Grid-connected scenario



Microgrid scenario

